



COVID-19 Travel Guidance



CPS follows [CDPH guidelines](#) for domestic travel and [CDC guidelines](#) for international travel.

Domestic Travel

Before travel, **unvaccinated individuals** traveling to a high-risk ("orange") state should:

- Get tested 1-3 days prior to departure.

While traveling:

- ALL individuals regardless of vaccination status should wear a mask on planes, buses, trains, and other forms of public transportation traveling into, within, or out of the United States and while indoors at U.S. transportation hubs such as airports and stations.
- Avoid crowds as much as you can and wash your hands often or use hand sanitizer.

After travel, **unvaccinated individuals** returning from a high-risk ("orange") state should:

- Get tested with a viral test 3-5 days after travel AND stay home and self-quarantine for a full 5 days.
- If you test negative or do not get tested, stay home and self-quarantine for the full 5 days; you can leave your house after 5 days and should continue to wear a mask around others for 5 more days. Students who have a mask exemption must stay home for the full 10 days.
- If your test is positive, isolate yourself to protect others from getting infected.
- Avoid being around people who are at increased risk for severe illness for 10 days, whether you get tested or not.

Fully vaccinated persons (returning travelers who live or work in Chicago, or visitors to Chicago) who have traveled domestically are not required to quarantine if they are:

- asymptomatic; and
- Fully vaccinated (i.e., are ≥ 2 weeks following receipt of the second dose in a two-dose COVID-19 vaccine series or ≥ 2 weeks following receipt of 1 dose of a single-dose COVID-19 vaccine).

Fully vaccinated travelers must monitor their health for 10 days after travel and if they experience symptoms potentially consistent with COVID-19, they must self-isolate until clinical evaluation and COVID testing.



COVID-19 Travel Guidance



CPS sigue las [directrices del CDPH](#) para los viajes nacionales y las [pautas del CDC](#) para los viajes internaciones.

Viajes Nacionales

Antes de viajar, **las personas no vacunadas** que estén viajando a un estado de alto riesgo (identificado como "naranja") deben:

- Hacerse la prueba de COVID-19 entre 1 a 3 días antes de la salida.

Durante el viaje:

- TODAS las personas, independientemente su estado de vacunación, deben usar mascarilla facial en los aviones, autobuses, trenes y otras formas de transporte público que viajen hacia, dentro y/o fuera de los Estados Unidos y mientras están en el interior de centros de transporte como lo son los aeropuertos y las estaciones de autobuses.
- Evite las multitudes tanto como pueda y lávese las manos con frecuencia o use desinfectante para manos a base de alcohol.

Luego del viaje, **las personas no vacunadas** que regresen de un estado de alto riesgo (identificado como "naranja") deben:

- Hacerse la prueba de COVID-19 entre 3 a 5 días después del viaje y hacer cuarentena en casa durante 5 días completos.
- Si recibe un resultado negativo o decide no hacerse la prueba, quédese en casa y póngase en cuarentena durante 5 días completos; puede salir de su casa después de 5 días y debe continuar utilizando mascarilla facial durante 5 días adicionales.
- Si el resultado de su prueba es positivo, aíslese para proteger a los demás de un posible contagio.
- Evite estar cerca de personas que tienen un mayor riesgo de enfermedad grave durante 10 días, se haya realizado la prueba o no.

Las personas completamente vacunadas (viajeros residentes o visitantes de Chicago) que han viajado a nivel nacional no están obligadas a realizar en cuarentena si:

- Están asintomáticos; y
- Completamente vacunados (es decir, han pasado al menos 2 semanas después de recibir la segunda dosis de vacuna contra el COVID-19 (en vacunas de dos dosis) o 2 semanas luego de recibir 1 dosis (en vacunas COVID-19 de dosis única).

Los viajeros completamente vacunados deben monitorear su salud durante 10 días después del viaje y de experimentar síntomas potencialmente consistentes de COVID-19, deben aislarse hasta recibir evaluación médica y/o realizarse la prueba de COVID.